

HALO HOLOGRAM HARDWARE

Denis Džačko, Samuel Polakovič, Filip Suchán, Erik Kaľavský, Gregor Rozinaj

Faculty of Electrical Engineering and Information Technologies,
Institute of Multimedia Information and Communication Technologies,
Ilkovicova 3, 812 19 Bratislava, Slovakia

kalavsky.erik6@gmail.com

Abstract. Our task, which we focused on, is to design and create a device that would be able to display the image of the called party in the room with the appropriate software and give us the impression that the called party is in the room with us for better communication.

Keywords: Atmel, wood, Components, LED strip, HALL-effect sensor, small rotate engine

1 Introduction

Since the beginning of time, mankind has always cared about social contact and mutual communication. This is also the case today, when we are living in times full of modern technology and the age of social networks. However, times have changed and people are more preoccupied and often do not have time to meet in person. So how to improve mutual communication and the enjoyment of this communication for people? In the current pandemic situation, it is even more complicated and therefore the topic of communication with the use of hologram is much more relevant than ever before.

2 Ideas Of Holograms And Our Choose

Firstly, it is necessary to specify task itself, and what kind of scene we are expecting. Under the term halo hologram, we can imagine a device that will display a person face. This device could be used in organizing of corporate meetings or in the educational process of teaching lectures and conferences. At the beginning it was important to think about the very concept of Halo hologram. There are many possibilities of realizing hologram which we had successively analysed and evaluated.

First concept of the hologram was creating holographic pyramid in which the hologram itself would be projected. Holographic pyramid works on the principle of composing 4 projected images together. This solution is suitable for small meetings, but not for large conferences as it would be necessary to create wide- ranging holographic pyramids for large lecture halls.

The second option would be to create a projection bust. The bust would be placed in front of the black screen/ background and would be equipped with motors for its mobility. An image from projectors mounted in front of the busts at an angle of 60

degrees would be projected on the bust. However, this is not the right solution for creating a hologram, since it is a projection on a 3D model.

The last concept which we had analysed was creating a holographic fan. Under this term we can imagine circle filled with Led lights that is driven with a high-speed motor. The rotation of this circle with the motor led to the result of the creation of the image on the surface of the circle. We think this solution is suitable/applicable. Whether for use in the commercial or different sector, and it is possible to create this device from light materials in the various sizes needed for projections.

3 Hardware Realization Schema

Let's proceed to the actual implementation. At the beginning it was necessary to realize, how to construct halo hologram itself. It was essential to set apart its main parts. We can divide them into three parts, which are projectional, functional and processional. The last part is represented by the microcomputer which is processing data received from networks and prepares for display. Functional part, which is responsible for the movement of projection part, is build-up from the construction, in which the projection part is mounted, and also the motor responsible for its rotation. Projectional part consist of the circle fitted with led *lights*, which is rotated at a high speed and displays an image processed by microcomputer. This image is giving impressions of 3D model thanks to all the parts working together, so that in the microcomputer is program adjusted for rotation of the motor, which rotates LED – band, which creates halo hologram image itself.




Figure 1: Schema of hologram

4 Building Hardware Realization

After analysing the problem, we started to construct halo hologram itself. Proportion of the circle on which we will install led strip, is going to be 32 cm. This circle is *fitted* with the SK9822 LED lights, which is controlled by SPI. 12V motor which rotates the circle itself is disposing with hall effect sensor, which is important for the image synchronization.

As a source of our hologram, we used old computer source from which we used voltages of 12V and 5V.




Figure 2: Source

Structure of hologram was made from the wood because of its great availability and workability. The structure was assembled and it's holding on with the help of wooden pegs and glue. In the lower part is located a hole for a bearing, under which is also located smaller hole for a cables

We used motor, we mentioned before, with a voltage of 12V for the drive. To transfer the driving power from the motor to the display circle, we used machine-made 45 teeth Gear wheel which is connected by the drive belt *to* the motor, on which we also have machine-made gear wheel, with whom we achieved a 3:1 transfer.




Figure 3: Drive system

The ring itself is made from PVC pipe which is attached to the threaded rod. The top mount is designed for the faster removing. On the circle is fitted Led light which has 65 led lights for a semicircle. The lead from led lights consists of 4 cables but 5V and GND is duplicated so we had 6 cables connected from the above through slip ring.



Figure 4: Detail of the upper mounting

We put the connections on the breadboard into separate lines, which we had divided according to their usefulness. On the construction itself is settled microprocessor Atmel, which controls the imaging functions for our hologram. In the end, we did not use the Hall effect sensor, which we considered essential at the beginning, because it did not provide sufficient information in interruptions, because these information were overlapped. We also connect an LCD display to our hologram, to solve the problem with Hall effect sensors. In the end we solve synchronization trough method of timing.




Figure 5: Atmel and LCD display

5 Result

If we were to evaluate the results obtained in this project, we can say, that we managed to construct a Halo hologram, on which we can project the image. Of course, nothing is perfect, and there is always a space for improvements, even with this project. If we were to mention some of them, it would be, for example, an improvement of the engine, because it does not have adjustable speed and also is very noisy. Another example could be the installation of a lights with a higher density of diode lights. We also managed to configure USB on baudrate 128 000, but it was not sufficient for live video transmission, so it is necessary to solve this issue with another solution. For example it could be solved by the improvement of the control microprocessor, which could have built in components like WiFi module. This improvement from Atmel can be, for example Raspberry Pi. But if we are looking at the assignment, we can say that we have fulfilled it, even though the Halo Hologram set by us is considered only as a rough concept and an introduction to the issue itself.




Figure 6: Image of the whole hologram

6 Conclusion

In conclusion, we would like to add that our halo hologram is really only the primitive prototype and there is always a space for improvements and innovations. To mention just a few, it is for example tensioning mechanism between motor and threaded rod of the ring.

Further, implementation of hall effect sensors for synchronization of the speed of the display circle, installation of an LED lights with a larger number of diodes, more suitable motor for this type of project. But in the end, we managed to create a rough foundation, a rough foundation stone for the development of a halo hologram. With our

knowledge about the initial prototype, we can further build, refine and modernize further development steps at our university.

Acknowledgment

This publication was created thanks to support under the Operational Program Integrated Infrastructure for the project: International Center of Excellence for Research on Intelligent and Secure Information and Communication Technologies and Systems - II. stage, ITMS code: 313021W404, co-financed by the European Regional Development Fund

References

- [1] EGBU, Charles O.; BOTTERILL, Katherine. Information technologies for knowledge management: their usage and effectiveness. *Journal of Information Technology in Construction (ITcon)*, 2003, 7.8: 125-137.
- [2] FEHN, Christoph. A 3D-TV approach using depth-image-based rendering (DIBR). In: *Proc. of VIIP*. 2003.
- [3] SUCHÁN, Denis Džacko1 Samuel Polakovič2 Filip; KALAVSKÝ, Erik; ROZINAJ, Gregor. HALO HOLOGRAM HARDWARE. 2021.
- [5] BARANNIK, Vladimir, et al. The video stream encoding method in infocommunication systems. In: *2018 14th International Conference on Advanced Trends in Radioelectronics, Telecommunications and Computer Engineering (TCSET)*. IEEE, 2018. p. 538-541.



 Redžúr 2021

PROCEEDINGS

**15th International Workshop on Multimedia Information
and Communication Technologies**

Edited by:
Ivan Minárik
Gregor Rozinaj

 **STU**
FEI

 **DRUŽENIE**
OUŽÍVATEĽOV
ELEKOMUNIKÁCIÍ
LOVENSKA

ISBN 978-80-227-5113-1

SPEKTRUM
 **STU**

PROCEEDINGS

Redžúr 2021

15th International Workshop on Multimedia Information
and Communication Technologies

4 June 2021, Bratislava, Slovakia

EDITED BY:
Ivan Minárik
Gregor Rozinaj

Slovak University of Technology in Bratislava
Faculty of Electrical Engineering and Information Technology
Institute of Multimedia Information and Communication Technologies
Ilkovičova 3
812 19 Bratislava
Slovak Republic

Published by:

Vydavateľstvo SPEKTRUM STU of the Slovak University of Technology in Bratislava

in cooperation with

Združenie používateľov telekomunikácií Slovenska

ISBN 978-80-227-5113-1



General Chair

Gregor Rozinaj

Slovak University of Technology, Bratislava, Slovak Republic

Program Committee

Aura Conci

Fluminense Federal University, Brasil

Mislav Grgić

University of Zagreb, Croatia

Gerhard Gruhler

Heilbronn University, Germany

Jaromír Hrad

Czech Technical University, Czech Republic

Juraj Kačur

Slovak University of Technology, Slovakia

Jarmila Pavlovičová

Slovak University of Technology, Slovakia

Pavol Podhradský

Slovak University of Technology, Slovakia

Markus Rupp

Vienna University of Technology, Austria

Yevgeniya Sulema

National Technical University of Ukraine, Kyiv Polytechnic Institute, Ukraine

Radoslav Vargić

Slovak University of Technology, Slovakia

Tomáš Zeman

Czech Technical University, Czech Republic

Branka Zovko-Cihlar

University of Zagreb, Croatia

Review Committee

Abreu, Raphael	Jakóbczak, Dariusz Jacek	Paiva, Anselmo
Aguilera, Cristhian A.	Juhár, Jozef	Papa, Joao Paulo
Araújo, José Denes	Kačur, Juraj	Podhradský, Pavol
Aung, Zeyar	Karwowski, Damian	Polak, Ladislav
Bergamasco, Leila	Kominkova Oplatkova, Zuzana	Prinosil, Jiri
Bergo, Felipe	Körting, Thales Sehn	Rakús, Martin
Bezerra, Eduardo	Kos, Marko	Rodriguez, Denis Delisle
Bozek, Jelena	Kultan, Matej	Rozinaj, Gregor
Bravenec, Tomas	Laguna, Juana Martinez	Rybárová, Renata
Bujok, Petr	Latkoski, Pero	Silva, Aristófanos
Burget, Radim	Lima, Alan	Silvestre, Santiago
Casaca, Wallace	Londák, Juraj	Slanina, Martin
Ciarelli, Patrick Marques	Lopes, Bruno	Sousa De Almeida, Joao Dallyson
Copetti, Alessandro	Lopes, Guilherme Wachs	Sousa, Azael Melo E
Costa, Tales Fernandes	Lourenço, Vítor	Stasinski, Ryszard
Čepko, Jozef	Malajner, Marko	Tcheou, Michel
Davídková Antošová, Marcela	Mandic, Lidija	Toledo, Yanexis Pupo
Devamane, Shridhar	Marana, Aparecido Nilceu	Trúchly, Peter
Galić, Irena	Marchevský, Stanislav	Turan, Jan
Gonçalves, Vagner Mendonça	Marinova, Galia	Vargic, Radoslav
Grgic, Sonja	Markovska, Marija	Veras, Rodrigo
Habijan, Marija	Matos, Caio	Vitas, Dijana
Haddad, Diego Barreto	Medvecký, Martin	Vlaj, Damjan
Henriques, Felipe	Minárik, Ivan	Vukovic, Josip
Hocenski, Zeljko	Mocanu, Stefan	Wajda, Krzysztof
Hrad, Jaromír	Mustra, Mario	Zamuda, Ales
	Nyarko, Emmanuel Karlo	Zeman, Tomas

Organizing Committee

Juraj Londák

Slovak Republic

Ivan Minárik

Slovak Republic

Šimon Tibenský

Slovak Republic

Marek Vančo

Slovak Republic

Table of Contents

Preface	11
ECG Guided Automated Diagnostic Intervention of Cardiac Arrhythmias with Extra-Cardiac Noise Detection using Deep Learning	13
Binoy Sasmal, Sayan Roy	
Improving Deep Learning Convergence using Atlas Registration as a Preprocessing Step to Predict Final Stroke Lesion.....	19
Pierrick Ullius, Noëlie Debs, David Rousseau, Carole Frindel	
A Unified Approach to the Standardization of AI-centered Audio-Visual Data Processing.....	31
Leonardo Chiariglione, Andrea Basso, Marina Bosi, Sergio Canazza, Miran Choi, Gérard Chollet, Michelangelo Guarise, Roberto Iacoviello, Niccolò Pretto, Paolo Ribeca, Mark Seligman	
An Eye Tracking based Solution for Reading Related Disorders Detection.....	37
Martin Janiga, Radoslav Vargic	
Eyetracking using Device Camera for Distance Learning Videoconferencing Solutions	47
Diminik Cisár, Radoslav Vargic	
Application of Immersive Technologies for Virtual Teleconference	59
Adam Martiska, Jakub Otruba, Dominik Bilík	
Stereoscopic 360° Video Estimation in Camera Nest Midpoints.....	67
Richard Paal, Jakub Tomáš Král, Radoslav Vargic	
Use of Glass Pyramid in Videoconferencing	83
Simon Youssef, Gregor Rozinaj	
Technical Solution of a Camera System for 3D Video	89
Matej Mihálik, Gregor Rozinaj	
Removing Unwanted Objects from Video	95
Jaroslav Venjarski	
Introduction to K-Nearest Neighbor (KNN).....	101
Jozef Petříček, Omar Alaboud	
Error-rate of Weighted KNN based on Distance Valculation Method	107
Samuel Bachratý, Boris Chmel	
Optimal Areas of Classification for Classes using Bayes' Classifier.....	115
Roman Kuštor, Jakub Jakab, Erik Kaľavský	

Linear Discriminant Analysis System using MATLAB.....	129
Christopher Ulm, Ervín Rutšek, Vladimír Vrabec	
Evaluation of Digital Watermarking on Subjective Speech Quality.....	137
Yann Kowalczyk, Jan Holub	
Automatic Speech Recognition Training with Automatically Transcribed Data.....	147
Slavomír Gereg, Jozef Juhár	
Eliminating Ambiguity in Voice Command Comprehension for Smart Room.....	153
Milan Poništ, Ivan Minárik	
Comparison of Native vs Web-based Application for Smart Room Control.....	159
Denis V. Bílik, Matej Vanek, Ivan Minárik	
An Approach to Smart Parking System.....	165
Jozef Genšor, Radoslav Vargic	
Comparing Canonical Versions of Evolution Strategies.....	171
Adam Martiska, Jakub Otruba, Dominik Bílík	
Application in Augmented Reality.....	179
Livia Bzdilova	
An Approach to P300-based BCI System.....	191
Jelena Kirić, Radoslav Vargic	
A System for Local Multimedia Distribution.....	199
Oliver Palou, Michal Majdan	
HALO Hologram Software.....	211
Denis Džačko, Samuel Polakovič, Filip Suchán, Erik Kařavský, Gregor Rozinaj	
HALO Hologram Hardware.....	223
Denis Džačko, Samuel Polakovič, Filip Suchán, Erik Kařavský, Gregor Rozinaj	
Authors'Index.....	229